

Creatinine FS Reagent R1

Material number 1 1711 R1

Page: 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Creatinine FS Reagent R1
As part of the kits: 1 1711 XX XX XXX
(The positions X code different packages.)

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Reagent for in-vitro diagnostics in human samples
For professional use only

1.3 Details of the supplier of the safety data sheet

Company name: DiaSys Diagnostic Systems GmbH
Street/POB-No.: Alte Strasse 9
Postal Code, city: 65558 Holzheim
WWW: <http://www.diasys.de>
E-mail: mail@diasys.de
Telephone: +49 (0) 6432-9146-0
Telefax: +49 (0) 6432-9146-32
Department responsible for information:
Corporate headquarters, Telephone: +49 (0) 6432-9146-0, Email: mail@diasys.de

1.4 Emergency telephone number

Infraserv, Telephone: +49 (0) 69-305-6418

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Met. Corr. 1; H290 May be corrosive to metals.
Skin Irrit. 2; H315 Causes skin irritation.
Eye Irrit. 2; H319 Causes serious eye irritation.

2.2 Label elements

Labelling (CLP)



Signal word: **Warning**

Hazard statements: H290 May be corrosive to metals.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

Creatinine FS Reagent R1

Material number 1 1711 R1

Page: 2 of 9

Precautionary Statements:

P234	Keep only in original packaging.
P264	Wash hands and face thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection.
P302+P352	IF ON SKIN: Wash with plenty of water/soap.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P390	Absorb spillage to prevent material damage.

2.3 Other hazards

A corrosive effect cannot be ruled out because of the pH value.

Results of PBT and vPvB assessment:

No data available

SECTION 3: Composition / information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: aqueous solution

Hazardous ingredients:

Ingredient	Designation	Content	Classification
REACH 01-2119457892-27-xxxx EC No. 215-185-5 CAS 1310-73-2	Sodium hydroxide	0.5 - 2 %	Met. Corr. 1; H290. Skin Corr. 1A; H314.

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

In case of inhalation:	Move victim to fresh air, put at rest and loosen restrictive clothing. Seek medical aid in case of troubles.
Following skin contact:	Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water. Cover with sterile dressing material to protect against infection. Seek medical attention.
After eye contact:	Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently seek the immediate attention of an ophthalmologist.
After swallowing:	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Risk of perforation! Do not try to neutralize. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

A corrosive effect cannot be ruled out because of the pH value.

In case of longer contact, danger of serious eye damage. Skin contact may lead to skin irritation.

Creatinine FS Reagent R1

Material number 1 1711 R1

Page: 3 of 9

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

5.2 Special hazards arising from the substance or mixture

Fires in the immediate vicinity may cause the development of dangerous vapours. In the event of a fire, the following may be produced when the water evaporates: Sodium compounds.

5.3 Advice for firefighters

Special protective equipment for firefighters:

In case of surrounding fires: Wear self-contained breathing apparatus.

Additional information:

Hazchem-Code: 2R

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. Provide adequate ventilation. Wear appropriate protective equipment.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

6.3 Methods and material for containment and cleaning up

Dilute with plenty of water.
Soak up with absorbent materials such as sand, siliceous earth, acid- or universal binder.
Store in special closed containers and dispose of according to ordinance. Final cleaning.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation.

Avoid contact with skin and eyes.

Wear appropriate protective equipment.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep containers tightly closed and at a temperature between + 2 °C and + 25 °C. Protect from light.

Unsuitable materials: Light metals

Creatinine FS Reagent R1

Material number 1 1711 R1

Page: 4 of 9

Hints on joint storage: Do not store together with ammonium compounds or acids.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
1310-73-2	Sodium hydroxide	Great Britain: WEL-STEL Ireland: 15 minutes	2 mg/m ³ 2 mg/m ³

8.2 Exposure controls

Provide adequate ventilation, and local exhaust as needed.

Personal protection equipment

Occupational exposure controls

- Respiratory protection: Use a breathing protection against vapours/aerosol.
Use filter type (A-P2/P3) according to EN 14387.
- Hand protection: Protective gloves according to EN 374.
Glove material: Nitrile rubber-Layer thickness: 0.11 mm.
Breakthrough time: >480 min.
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
- Eye protection: Tightly sealed goggles according to EN 166.
- Body protection: Wear suitable protective clothing.
- General protection and hygiene measures:
Take off immediately all contaminated clothing.
Wash hands before breaks and after work.
Provide a conveniently located eye rinse station.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance: Physical state at 20 °C and 101.3 kPa: liquid
Colour: colourless, clear
- Odour: odourless
- Odour threshold: No data available
- pH value: at 25 °C: 13.0
- Melting point/freezing point: approx. 0 °C
- Initial boiling point and boiling range: approx. 100 °C
- Flash point/flash point range: not combustible
- Evaporation rate: No data available
- Flammability: No data available
- Explosion limits: No data available
- Vapour pressure: No data available

Creatinine FS Reagent R1

Material number 1 1711 R1

Page: 5 of 9

Vapour density:	No data available
Density:	at 20 °C: 1.0075 g/mL
Water solubility:	at 20 °C: completely miscible
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity, kinematic:	No data available
Explosive properties:	No data available
Oxidizing characteristics:	No data available

9.2 Other information

Additional information: No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

May be corrosive to metals.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Reacts with ammonium compounds: Formation of ammonia.
Reacts with light metals: Formation of hydrogen.

10.4 Conditions to avoid

Protect against heat /sun rays.

10.5 Incompatible materials

acids

10.6 Hazardous decomposition products

In the event of a fire, the following may be produced when the water evaporates: Sodium compounds.

Thermal decomposition: No data available

Creatinine FS Reagent R1

Material number 1 1711 R1

Page: 6 of 9

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Toxicological effects: Acute toxicity (oral): Lack of data.
Acute toxicity (dermal): Lack of data.
Acute toxicity (inhalative): Lack of data.
Skin corrosion/irritation: Skin Irrit. 2; H315 = Causes skin irritation.
Serious eye damage/irritation: Eye Irrit. 2; H319 = Causes serious eye irritation.
Sensitisation to the respiratory tract: Lack of data.
Skin sensitisation: Lack of data.
Germ cell mutagenicity/Genotoxicity: Lack of data.
Carcinogenicity: Lack of data.
Reproductive toxicity: Lack of data.
Effects on or via lactation: Lack of data.
Specific target organ toxicity (single exposure): Lack of data.
Specific target organ toxicity (repeated exposure): Lack of data.
Aspiration hazard: Lack of data.

Symptoms

A corrosive effect cannot be ruled out because of the pH value.
In case of longer contact, danger of serious eye damage. Skin contact may lead to skin irritation.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Harmful effects on water organisms by modification of pH-value.

12.2 Persistence and degradability

Further details: Methods for the determination of biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:
No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 16 05 06* = Laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals.

* = Evidence for disposal must be provided.

Recommendation: Special waste. Dispose of waste according to applicable legislation.

Contaminated packaging

Waste key number: 15 01 02 = Plastic packaging

Recommendation: Dispose of waste according to applicable legislation.
Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

ADR/RID, IMDG, IATA-DGR:

UN 1824

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR:

UN 1824, SODIUM HYDROXIDE SOLUTION

14.3 Transport hazard class(es)

ADR/RID: Class 8, Code: C5

IMDG: Class 8, Subrisk -

IATA-DGR: Class 8



14.4 Packing group

ADR/RID, IMDG, IATA-DGR:

III

14.5 Environmental hazards

Marine pollutant: no

14.6 Special precautions for user

Land transport (ADR/RID)

Warning board: ADR/RID: Kemmler-number 80, UN number UN 1824

Hazard label: 8

Limited quantities: 5 L

EQ: E1

Contaminated packaging - Instructions: P001 IBC03 LP01 R001

Special provisions for packing together: MP19

Portable tanks - Instructions: T4

Portable tanks - Special provisions: TP1

Tank coding: L4BN

Tunnel restriction code: E



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 23/1/2019
Version: 21
Language: en-GB,IE
Date of print: 11/9/2019

Creatinine FS Reagent R1

Material number 1 1711 R1

Page: 8 of 9

Sea transport (IMDG)

EmS: F-A, S-B
Special provisions: 223
Limited quantities: 5 L
Excepted quantities: E1
Contaminated packaging - Instructions: P001, LP01
Contaminated packaging - Provisions: -
IBC - Instructions: IBC03
IBC - Provisions: -
Tank instructions - IMO: -
Tank instructions - UN: T4
Tank instructions - Provisions: TP1
Stowage and handling: Category A.
Segregation: SG35
Properties and observations: Colourless liquid. Corrosive to aluminium, zinc and tin. Reacts with ammonium salts, evolving ammonia gas. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.
Segregation group: 18

Air transport (IATA)

Hazard label: Corrosive
Excepted Quantity Code: E1
Passenger and Cargo Aircraft: Ltd.Qty.: Pack.Instr. Y841 - Max. Net Qty/Pkg. 1 L
Passenger and Cargo Aircraft: Pack.Instr. 852 - Max. Net Qty/Pkg. 5 L
Cargo Aircraft only: Pack.Instr. 856 - Max. Net Qty/Pkg. 60 L
Special provisions: A3 A803
Emergency Response Guide-Code (ERG): 8L

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Great Britain

Hazchem-Code: 2R
No data available

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 23/1/2019
Version: 21
Language: en-GB,IE
Date of print: 11/9/2019

Creatinine FS Reagent R1

Material number 1 1711 R1

Page: 9 of 9

SECTION 16: Other information

Further information

Wording of the H-phrases under paragraph 2 and 3:

- H290 = May be corrosive to metals.
- H314 = Causes severe skin burns and eye damage.
- H315 = Causes skin irritation.
- H319 = Causes serious eye irritation.

Reason of change: ADR/RID 2019

Date of first version: 7/11/2006

Department issuing data sheet

Contact person: see section 1: Department responsible for information

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.