

Cleaner respons[®]920/940

Order Information

Cat. No. Kit size
1 8830 99 10 885 6 x 200 mL

Intended Use

Cleaner respons[®]920/940 is a cleaning solution for cleaning the sample and reagent needles to prevent carryover on automated DiaSys respons[®]920 and respons[®]940. For in vitro diagnostic use only.


Storage and Stability

Cleaning solution is stable up to the date of expiry indicated on the kit, if stored at 2 – 25°C and contamination is avoided.

Warnings and Precautions

1. Components contained in Cleaner respons[®]920/940 are classified according to EC regulation 1272//2008 (CLP) as follows:



 Warning. Contains Sodium hydroxide. H290 May be corrosive to metals. H315 Causes skin irritation. H319 Causes serious eye irritation. P234 Keep only in original packaging. P280 Wear protective gloves/protective clothing/eye protection. P302+P352 IF ON SKIN: Wash with plenty of water/soap. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/attention. P390 Absorb spillage to prevent material damage.

2. In case of product malfunction or altered appearance that could affect the performance, contact the manufacturer.
3. Please refer to the safety data sheets (SDS) and take the necessary precautions for the use of laboratory reagents.
4. For professional use only.

Waste Management

Refer to local legal requirements for chemical disposal regulations as stated in the relevant SDS to determine the safe disposal.

Reagent Preparation

Pour 200 mL of the concentrated Cleaner respons[®]920/940 into the detergent solution container (see operation manual) and fill up to 10 L with deionized water.

Materials Required

General laboratory equipment

Additions and/or changes in the document are highlighted in grey. For deletions, please refer to the customer information for the corresponding edition number of the package inserts.



DiaSys Diagnostic Systems GmbH
Alte Strasse 9 65558 Holzheim
Germany
www.diasys-diagnostics.com

Cleaner A

Acidic cleaning solution

Order Information

Cat. No. Kit size
1 8610 99 10 923 4 x 60 mL

Intended Use

Cleaner A is an acidic cleaning solution for cleaning the sample and reagent needles to prevent carryover on automated DiaSys respons[®]920 and respons[®]940. For in vitro diagnostic use only.

Storage and Stability

Cleaning solution is stable up to the date of expiry indicated on the kit, if stored at 2 – 25°C and contamination is avoided.

Warnings and Precautions

1. Components contained in Cleaner A are classified according to EC regulation 1272//2008 (CLP) as follows:



Warning. H290 May be corrosive to metals. P234 Keep only in original packaging. P390 Absorb spillage to prevent material damage.

2. In case of product malfunction or altered appearance that could affect the performance, contact the manufacturer.
3. Please refer to the safety data sheets (SDS) and take the necessary precautions for the use of laboratory reagents.
4. For professional use only.

Cleaner B

Alkaline cleaning solution

Order Information

Cat. No. Kit size
1 8650 99 10 923 4 x 60 mL

Intended Use

Cleaner B is an alkaline cleaning solution for cleaning the sample and reagent needles to prevent carryover on automated DiaSys respons[®]920 and respons[®]940. For in vitro diagnostic use only.

Storage and Stability

Cleaning solution is stable up to the date of expiry indicated on the kit, if stored at 2 – 25°C and contamination is avoided.

Warnings and Precautions

1. Components contained in Cleaner B are classified according to EC regulation 1272//2008 (CLP) as follows:



Warning. H290 May be corrosive to metals. P234 Keep only in original packaging. P390 Absorb spillage to prevent material damage.

2. In case of product malfunction or altered appearance that could affect the performance, contact the manufacturer.
3. Please refer to the safety data sheets (SDS) and take the necessary precautions for the use of laboratory reagents.
4. For professional use only.

Waste Management

Refer to local legal requirements for chemical disposal regulations as stated in the relevant SDS to determine the safe disposal.

Reagent Preparation

The cleaning solution is ready to use. The bottle is placed directly into the reagent rotor.

Additions and/or changes in the document are highlighted in grey. For deletions, please refer to the customer information for the corresponding edition number of the package inserts.



DiaSys Diagnostic Systems GmbH
Alte Strasse 9 65558 Holzheim
Germany
www.diasys-diagnostics.com

Waste Management

Refer to local legal requirements for chemical disposal regulations as stated in the relevant SDS to determine the safe disposal.

Reagent Preparation

The cleaning solution is ready to use. The bottle is placed directly into the reagent rotor.

Additions and/or changes in the document are highlighted in grey. For deletions, please refer to the customer information for the corresponding edition number of the package inserts.



DiaSys Diagnostic Systems GmbH
Alte Strasse 9 65558 Holzheim
Germany
www.diasys-diagnostics.com