



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

## CRP U-hs Reagent R1

Material number 1 7045 R1

Revision date: 20.12.2022

Version: 14.1

Replaces version: 14.0

Language: en-DE

Date of print: 11.1.2023

Page: 1 of 7

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: CRP U-hs Reagent R1

As part of the kits: 1 7045 XX XX XXX  
(The positions X code different packages.)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Reagent for in-vitro diagnostics in human samples  
For professional use only.

### 1.3 Details of the supplier of the safety data sheet

Company name: DiaSys Diagnostic Systems GmbH

Street/POB-No.: Alte Strasse 9

Postal Code, city: DE-65558 Holzheim

WWW: <http://www.diasys.de>

E-mail: [mail@diasys.de](mailto:mail@diasys.de)

Telephone: +49 (0) 6432-9146-0

Telefax: +49 (0) 6432-9146-32

Department responsible for information:

Corporate headquarters, Telephone: +49 (0) 6432-9146-0, Email: [mail@diasys.de](mailto:mail@diasys.de)

### 1.4 Emergency telephone number

Infraserv, Telephone: +49 (0) 69-305-6418

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

### 2.2 Label elements

#### Labelling (CLP)

Hazard statements: not applicable

Precautionary statements: not applicable

#### Special labelling

EUH210 Safety data sheet available on request.

### 2.3 Other hazards

May be harmful if swallowed.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

No data available

## SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

### 3.2 Mixtures

Chemical characterisation: Aqueous solution of inorganic salts and organic compounds.

Hazardous ingredients:

Identifiers	Designation Classification	Content
EC No. 231-212-3 CAS 7447-41-8	Lithium chloride Acute Tox. 4; H302. Skin Irrit. 2; H315. Eye Irrit. 2; H319.	1 - 5 %

Full text of H- and EUH-statements: see section 16.

Additional information: Contains: Ethylene oxide-propylene oxide copolymer, Polyethylene glycol. The maximum workplace exposure limits are, where necessary, listed in section 8.

Contains Sodium azide (0,95 g/L) as preservative.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

In case of inhalation: Provide fresh air. Seek medical treatment in case of troubles.

Following skin contact: Change contaminated clothing. Remove residues with water. In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. In case of troubles or persistent symptoms, consult an ophthalmologist.

After swallowing: Rinse mouth thoroughly with water. Do not induce vomiting without medical advice. Have victim drink large quantities of water, with active charcoal if possible. Seek medical attention.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

May be harmful if swallowed.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media: Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

### 5.2 Special hazards arising from the substance or mixture

In the event of a fire, the following may be produced when the water evaporates: lithium compounds Chlorine compounds, carbon monoxide and carbon dioxide.

### 5.3 Advice for firefighters

Special protective equipment for firefighters: Wear self-contained breathing apparatus.

Additional information: Do not allow fire water to penetrate into surface or ground water.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. Wear appropriate protective equipment.  
Provide adequate ventilation.

### 6.2 Environmental precautions

Do not allow to penetrate into soil, waterbodies or drains.

### 6.3 Methods and material for containment and cleaning up

Soak up with absorbent materials such as sand, siliceous earth, acid- or universal binder. Store in special closed containers and dispose of according to ordinance. Wash spill area with plenty of water.

### 6.4 Reference to other sections

Refer additionally to section 8 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advices on safe handling: Do not breathe vapour. Avoid contact with skin and eyes. Wear appropriate protective equipment. Keep all containers, equipment and working place clean. Provide adequate ventilation, and local exhaust as needed.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers: Keep containers tightly closed and at a temperature between 2 °C and 8 °C. Protect from light. Keep sterile.

Hints on joint storage: Do not store together with: strong acids, alkalis. Keep away from food, drink and animal feedingstuffs.

Storage class: 12 = Non-combustible liquids

### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
7447-41-8	Lithium chloride	Germany: TRGS 900 Kurzzeit	0,2 mg/m <sup>3</sup> (inhalable fraction)
		Germany: TRGS 900 Langzeit	0,2 mg/m <sup>3</sup> (inhalable fraction)
9003-11-6	Ethylene oxide-propylene oxide copolymer	Germany: DFG Kurzzeit	500 mg/m <sup>3</sup> (inhalable fraction)
		Germany: DFG Langzeit	250 mg/m <sup>3</sup> (inhalable fraction)
		Germany: TRGS 900 Kurzzeit	8000 mg/m <sup>3</sup>
		Germany: TRGS 900 Langzeit	1000 mg/m <sup>3</sup>
25322-68-3	Polyethylene glycol	Germany: DFG Kurzzeit	500 mg/m <sup>3</sup> (inhalable fraction)
		Germany: DFG Langzeit	250 mg/m <sup>3</sup> (inhalable fraction)
		Germany: TRGS 900 Kurzzeit	8000 mg/m <sup>3</sup>
		Germany: TRGS 900 Langzeit	1000 mg/m <sup>3</sup>

### 8.2 Exposure controls

Provide adequate ventilation, and local exhaust as needed.

### Personal protection equipment

#### Occupational exposure controls

Respiratory protection: If vapours form, use respiratory protection. Use combination filter type ABEK according to EN 14387.

Hand protection: Protective gloves according to EN 374. Glove material: Nitrile rubber-Breakthrough time: >480 min. Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to EN 166.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:  
Avoid contact with skin and eyes. Change contaminated clothing.  
When using do not eat, drink or smoke.  
Wash hands before breaks and after work.

### Environmental exposure controls

Refer to "6.2 Environmental precautions".

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	colourless up to weak yellowish, clear
Odour:	odourless
Odour threshold:	No data available
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flammability:	No data available
Upper/lower flammability or explosive limits:	No data available
Flash point/flash point range:	not combustible
Decomposition temperature:	No data available
pH:	at 25 °C: 7,2
Viscosity, kinematic:	No data available
Water solubility:	completely miscible
Partition coefficient: n-octanol/water:	No data available
Vapour pressure:	No data available
Density:	at 20 °C: 1,035 g/mL
Vapour density:	No data available
Particle characteristics:	Not applicable

### 9.2 Other information

Explosive properties:	No data available
Oxidizing characteristics:	No data available
Auto-ignition temperature:	No data available
Evaporation rate:	No data available
Additional information:	No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

refer to 10.3

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reactions known.

### 10.4 Conditions to avoid

Protect against heat /sun rays. Protect from frost.

## 10.5 Incompatible materials

Strong acids and alkalis

## 10.6 Hazardous decomposition products

No decomposition when used properly.

Thermal decomposition: No data available

# SECTION 11: Toxicological information

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.  
May be harmful if swallowed.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.  
ATEmix calculated > 5000 mg/kg

Acute toxicity (inhalative): Lack of data.

Skin corrosion/irritation: Lack of data.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data.

Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

## 11.2 Information on other hazards

Endocrine disrupting properties: No data available

Other information: Contains Sodium azide (0,95 g/L):  
After resorption of toxic quantities: headache, dizziness, nausea, cough, vomiting, spasms,  
breathing paralysis, CNS disorders, low blood pressure, cardiovascular failure,  
unconsciousness, collapse.

Information about Lithium chloride: LD50 Rat oral: 526 mg/kg.

# SECTION 12: Ecological information

## 12.1 Toxicity

Water Hazard Class: 2 = obviously hazardous to water

## 12.2 Persistence and degradability

Further details: No data available

## 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

## 12.4 Mobility in soil

No data available



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

## CRP U-hs Reagent R1

Material number 1 7045 R1

Revision date: 20.12.2022

Version: 14.1

Replaces version: 14.0

Language: en-DE

Date of print: 11.1.2023

Page: 6 of 7

### 12.5 Results of PBT and vPvB assessment

No data available

### 12.6 Endocrine disrupting properties

No data available

### 12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste key number: 16 05 06\* = Laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals.

\* = Evidence for disposal must be provided.

Recommendation: Special waste. Dispose of waste according to applicable legislation.

#### Package

Waste key number: 15 01 02 = Plastic packaging

Recommendation: Dispose of waste according to applicable legislation.

Non-contaminated packages may be recycled.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR/RID, IMDG, IATA-DGR: not applicable

### 14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR: Not restricted

### 14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR: not applicable

### 14.4 Packing group

ADR/RID, IMDG, IATA-DGR: not applicable

### 14.5 Environmental hazards

Dangerous for the environment: Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant: no

### 14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

No data available

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations - Germany

Storage class: 12 = Non-combustible liquids

Water Hazard Class: 2 = obviously hazardous to water

Further regulations, limitations and legal requirements:  
No data available

### National regulations - EC member states

Further regulations, limitations and legal requirements:  
No data available

### 15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

## SECTION 16: Other information

Wording of the H-phrases under paragraph 2 and 3:

H302 = Harmful if swallowed.  
H315 = Causes skin irritation.  
H319 = Causes serious eye irritation.  
EUH210 = Safety data sheet available on request.

Reason of change: Changes in section 15: Water hazard class  
General revision

Date of first version: 7.4.2008

Department issuing data sheet: see section 1: Department responsible for information

Abbreviations and acronyms:

- Acute Tox.: Acute toxicity
- ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- AS/NZS: Australian Standards/New Zealand Standards
- ATEmix: Acute Toxicity Estimate of mixture
- CAS: Chemical Abstracts Service
- CFR: Code of Federal Regulations
- CLP: Classification, Labelling and Packaging
- CNS: Central Nervous System
- DMEL: Derived minimal effect level
- DNEL: Derived no-effect level
- EC: European Community
- EN: European Standard
- EQ: Excepted quantities
- EU: European Union
- Eye Irrit.: Eye irritation
- IATA: International Air Transport Association
- IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
- IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
- IMDG Code: International Maritime Dangerous Goods Code
- LD50: Lethal dose 50%
- MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
- OSHA: Occupational Safety and Health Administration
- PBT: Persistent, bioaccumulative and toxic
- PNEC: Predicted no-effect concentration
- RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
- Skin Irrit.: Skin irritation
- TRGS: Technical Rules for Hazardous Substances
- vPvB: Very persistent and very bioaccumulative

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.