

TruLab P

LOT 32787



Cat. No. 5 9050 99 10 061 (6 x 5 mL)
5 9050 99 10 062 (20 x 5 mL)



2025-02-28



Updated sheets: www.diasys-diagnostics.com/service-area/value-sheets/

Value sheet version: 6

Short Name / Analyte	Method	Reagent ID	Value	Range	Unit
ALB Albumin	Bromcresol green	1 0220	4.62 46.2	3.56 - 5.68 35.6 - 56.8	g/dL g/L
AP Alkaline phosphatase	IFCC 37°C	1 0441	156 2.60	117 - 195 1.95 - 3.25	U/L µkat/L
	DGKC 1970 37°C	1 0401	250 4.17	188 - 313 3.13 - 5.22	U/L µkat/L
ALT/GPT Alanine aminotransferase	IFCC, with pyridoxal phosphate 37°C	1 2701 +	120 2.00	92.5 - 148 1.54 - 2.46	U/L µkat/L
	without pyridoxal phosphate 37°C	1 2701	120 2.00	92.2 - 147 1.54 - 2.46	U/L µkat/L
AST/GOT Aspartate aminotransferase	IFCC, with pyridoxal phosphate 37°C	1 2601 +	164 2.73	126 - 202 2.10 - 3.36	U/L µkat/L
	without pyridoxal phosphate 37°C	1 2601	167 2.79	129 - 206 2.14 - 3.43	U/L µkat/L
AMY Amylase	EPS G-7	1 0501	200 3.34	160 - 240 2.67 - 4.01	U/L µkat/L
PAMY Pancreatic amylase	EPS G-7	1 0551	101 1.68	80.8 - 121 1.35 - 2.02	U/L µkat/L
APOA1 Apolipoprotein A1	Immunoturbidimetric	1 7102	166 1.66	133 - 199 1.33 - 1.99	mg/dL g/L
APOB Apolipoprotein B	Immunoturbidimetric	1 7112	89.6 0.896	71.7 - 108 0.717 - 1.08	mg/dL g/L
BILE Total Bile Acids	Enzymatic cycling method	1 2238	39.0	31.2 - 46.8	µmol/L
DBIL Direct Bilirubin	DCA	1 0821	1.78 30.5	1.32 - 2.25 22.6 - 38.4	mg/dL µmol/L
	Jendrassik-Grof	1 0849	1.98 33.9	1.47 - 2.49 25.1 - 42.7	mg/dL µmol/L
TBIL Total Bilirubin	DCA	1 0811	4.41 75.4	3.26 - 5.56 55.8 - 95.0	mg/dL µmol/L
	Jendrassik-Grof	1 0849	4.68 80.0	3.46 - 5.89 59.2 - 101	mg/dL µmol/L
CA Calcium	Arsenazo	1 1130	2.83 11.4	2.52 - 3.14 10.1 - 12.6	mmol/L mg/dL
	Phosponazo	1 1181	2.91 11.6	2.59 - 3.23 10.4 - 12.9	mmol/L mg/dL
CL Chloride	Colorimetric	1 1221	131 465	119 - 143 423 - 506	mmol/L mg/dL
CHOL Cholesterol	CHOD-PAP	1 1300 + 1 1350	196 5.08	169 - 224 4.37 - 5.79	mg/dL mmol/L
CHE Cholinesterase	Butyrylthiocholin	1 1401	7692 128	6307 - 9077 105 - 151	U/L µkat/L
CK Creatine kinase	DGKC, IFCC 37°C	1 1601	213 3.55	170 - 256 2.84 - 4.26	U/L µkat/L

TruLab P

LOT 32787



Cat. No. 5 9050 99 10 061 (6 x 5 mL)
5 9050 99 10 062 (20 x 5 mL)



2025-02-28



Updated sheets: www.diasys-diagnostics.com/service-area/value-sheets/

Value sheet version: 6

Short Name / Analyte	Method	Reagent ID	Value	Range	Unit
CKMB Creatine kinase	mAK, Immunological method, 37°C	1 1641	52.6	42.1 - 63.2	U/L
			0.877	0.702 - 1.05	µkat/L
CREA Creatinine	Jaffé, without compensation	1 1711	4.24	3.30 - 5.17	mg/dL
			374	292 - 457	µmol/L
	Jaffé, with compensation	1 1711	4.50	3.51 - 5.49	mg/dL
			398	310 - 485	µmol/L
	Enzymatic PAP	1 1759	4.43	3.46 - 5.41	mg/dL
			392	306 - 478	µmol/L
GGT γ-Glutamyltransferase	IFCC, DGKC 1994 37°C	1 2801	89.9	70.1 - 110	U/L
			1.50	1.17 - 1.83	µkat/L
	Szasz 37°C	1 2801	79.5	62.0 - 97.0	U/L
			1.33	1.03 - 1.62	µkat/L
GLDH Glutamat dehydrogenase	DGKC 1970 37°C	1 2411	24.3	19.4 - 29.2	U/L
			0.405	0.324 - 0.486	µkat/L
GLUC Glucose	GOD-PAP	1 2500 +	256	215 - 297	mg/dL
			1 2550	14.2	12.0 - 16.5
	HK/G6P-DH	1 2511	254	214 - 295	mg/dL
			14.1	11.9 - 16.4	mmol/L
	Gluc-DH	1 2531	255	214 - 296	mg/dL
			14.1	11.9 - 16.4	mmol/L
HBDH α-Hydroxybutyrate dehydro.	DGKC 37°C	1 3201	261	209 - 313	U/L
			4.35	3.48 - 5.22	µkat/L
HDLC HDL-Cholesterol	Immunoinhibition	1 3521	53.4	46.0 - 60.9	mg/dL
			1.38	1.19 - 1.58	mmol/L
			Direct, colorimetric	1 3561	55.2
			1.43	1.23 - 1.63	mmol/L
HBUT β-Hydroxybutyrate	β-HBDH / Diaphorase 37°C	1 3701	0.970	0.776 - 1.16	mmol/L
			10.1	8.08 - 12.1	mg/dL
			β-HBDH 37°C	1 3711	0.973
			10.1	8.10 - 12.2	mg/dL
IgA Immunoglobulin A	Immunoturbidimetric	1 7202	229	174 - 284	mg/dL
			2.29	1.74 - 2.84	g/L
IgE Immunoglobulin E	Immunoturbidimetric	1 7239	98.3	78.7 - 118	IU/mL
			236	189 - 283	ng/mL
IgG Immunoglobulin G	Immunoturbidimetric	1 7212	1126	901 - 1351	mg/dL
			11.3	9.01 - 13.5	g/L
IgM Immunoglobulin M	Immunoturbidimetric	1 7222	100	72.1 - 128	mg/dL
			1.00	0.721 - 1.28	g/L
FE Iron	Ferene	1 1911	221	190 - 252	µg/dL
			39.6	34.0 - 45.1	µmol/L
LACT Lactate	LDH UV	1 4001	31.8	25.1 - 38.5	mg/dL
			3.53	2.79 - 4.27	mmol/L
LDH Lactate dehydrogenase	IFCC, DGKC 1994 37°C	1 4211	279	229 - 329	U/L
			4.65	3.81 - 5.49	µkat/L
	DGKC opt. 1970 37°C	1 4201	455	373 - 537	U/L
			7.59	6.22 - 8.96	µkat/L
IFCC, modified	1 4251	276	226 - 326	U/L	
		4.60	3.77 - 5.43	µkat/L	

TruLab P

LOT 32787

Cat. No. 5 9050 99 10 061 (6 x 5 mL)
5 9050 99 10 062 (20 x 5 mL)



2025-02-28



Updated sheets: www.diasys-diagnostics.com/service-area/value-sheets/

Value sheet version: 6


Short Name / Analyte	Method	Reagent ID	Value	Range	Unit
LDLC LDL-Cholesterol	Homogenous Select, TruCal Lipid	1 4121	107	91.9 - 122	mg/dL
			2.76	2.38 - 3.15	mmol/L
	Direct, colorimetric	1 4131	107	92.2 - 122	mg/dL
			2.77	2.38 - 3.16	mmol/L
LPS Lipase	Colorimetric	1 4321	89.6	71.7 - 107	U/L
			1.49	1.19 - 1.79	µkat/L
MG Magnesium	Xylidyl blue	1 4610	1.85	1.56 - 2.15	mmol/L
			4.50	3.78 - 5.22	mg/dL
PL Phospholipids	Enzymatic	1 5741	227	181 - 272	mg/dL
			2.93	2.34 - 3.51	mmol/L
PO3 Phosphorus	Molybdate UV, substrate start	1 5211	6.97	5.71 - 8.22	mg/dL
			2.25	1.84 - 2.65	mmol/L
	Molybdate UV, sample start	1 5211	7.03	5.77 - 8.30	mg/dL
			2.27	1.86 - 2.68	mmol/L
K Potassium	Enzymatic	1 5221	6.39	5.82 - 6.97	mmol/L
			25.0	22.7 - 27.2	mg/dL
Na Sodium	Enzymatic	1 4808	148	139 - 157	mmol/L
			340	319 - 360	mg/dL
TP Total Protein	Biuret, without sample blank	1 2311	8.43	7.50 - 9.35	g/dL
			84.3	75.0 - 93.5	g/L
	Biuret, with sample blank	1 2311	7.32	6.52 - 8.13	g/dL
			73.2	65.2 - 81.3	g/L
TRF Transferrin	Immunoturbidimetric	1 7252	285	228 - 342	mg/dL
			2.85	2.28 - 3.42	g/L
TRIG Triglycerides	GPO-PAP	1 5760	171	140 - 202	mg/dL
			1 5710	1.93	1.58 - 2.27
UREA Urea	Urease UV	1 3101	150	117 - 183	mg/dL
			24.9	19.4 - 30.4	mmol/L
	Colorimetric, Berthelot	1 3115	149	116 - 182	mg/dL
			24.8	19.4 - 30.3	mmol/L
UA Uric Acid	TBHBA	1 3021	7.22	6.21 - 8.24	mg/dL
			430	370 - 490	µmol/L
	TOOS	1 3001	7.30	6.28 - 8.32	mg/dL
			434	373 - 495	µmol/L



DiaSys Diagnostic Systems GmbH
Alte Strasse 9 65558 Holzheim Germany
www.diasys-diagnostics.com

TruLab P

LOT 32787



Cat. No. 5 9050 99 10 061 (6 x 5 mL)
5 9050 99 10 062 (20 x 5 mL)



2025-02-28

Sensostar **Sensostar**
GLHsix GL30 touch



IVD

Updated sheets: www.diasys-diagnostics.com/service-area/value-sheets/

Value sheet version: 6


Short Name / Analyte	Method	Reagent ID	Value	Range	Unit
GLUC	Amperometric	Biosensor	282	237 - 328	mg/dL
Glucose			15.7	13.2 - 18.2	mmol/L
LACT	Amperometric	Biosensor	38.8	30.6 - 46.9	mg/dL
Lactate			4.31	3.40 - 5.21	mmol/L



DiaSys Diagnostic Systems GmbH
Alte Strasse 9 65558 Holzheim Germany
www.diasys-diagnostics.com

TruLab P

LOT 32787



Cat. No. 5 9050 99 10 061 (6 x 5 mL)
5 9050 99 10 062 (20 x 5 mL)



2025-02-28

respons⁹¹⁰



Updated sheets: www.diasys-diagnostics.com/service-area/value-sheets/

Value sheet version: 6

Short Name / Analyte	Method	Reagent ID	Value	Range	Unit
ALB Albumin	Bromcresol green	1 0220	4.62 46.2	3.56 - 5.68 35.6 - 56.8	g/dL g/L
AP Alkaline phosphatase	IFCC 37°C	1 0441	156 2.60	117 - 195 1.95 - 3.25	U/L µkat/L
ALT/GPT Alanine aminotransferase	IFCC, with pyridoxal phosphate 37°C	1 2701 +	120	92.5 - 148	U/L
	without pyridoxal phosphate 37°C	2 5010 1 2701	2.00 120 2.00	1.54 - 2.46 92.2 - 147 1.54 - 2.46	µkat/L U/L µkat/L
AST/GOT Aspartate aminotransferase	IFCC, with pyridoxal phosphate 37°C	1 2601 +	164 2.73	126 - 202 2.10 - 3.36	U/L µkat/L
	without pyridoxal phosphate 37°C	2 5010 1 2601	167 2.79	129 - 206 2.14 - 3.43	U/L µkat/L
AMY Amylase	EPS G-7	1 0501	200 3.34	160 - 240 2.67 - 4.01	U/L µkat/L
PAMY Pancreatic amylase	EPS G-7	1 0551	101 1.68	80.8 - 121 1.35 - 2.02	U/L µkat/L
APOA1 Apolipoprotein A1	Immunoturbidimetric	1 7102	166 1.66	133 - 199 1.33 - 1.99	mg/dL g/L
APOB Apolipoprotein B	Immunoturbidimetric	1 7112	89.6 0.896	71.7 - 108 0.717 - 1.08	mg/dL g/L
BILE Total Bile Acids	Enzymatic cycling method	1 2238	39.0	31.2 - 46.8	µmol/L
DBIL Direct Bilirubin	DCA	1 0821	1.78 30.5	1.32 - 2.25 22.6 - 38.4	mg/dL µmol/L
TBIL Total Bilirubin	DCA	1 0811	4.41 75.4	3.26 - 5.56 55.8 - 95.0	mg/dL µmol/L
CA Calcium	Phosphonazo	1 1181	2.91 11.6	2.59 - 3.23 10.4 - 12.9	mmol/L mg/dL
CL Chloride	Colorimetric	1 1221	131 465	119 - 143 423 - 506	mmol/L mg/dL
CHOL Cholesterol	CHOD-PAP	1 1300	196 5.08	169 - 224 4.37 - 5.79	mg/dL mmol/L
CHE Cholinesterase	Butyrylthiocholin	1 1401	7692 128	6307 - 9077 105 - 151	U/L µkat/L
CK Creatine kinase	DGKC, IFCC 37°C	1 1601	213 3.55	170 - 256 2.84 - 4.26	U/L µkat/L
CKMB Creatine kinase	mAK, Immunological method, 37°C	1 1641	52.6 0.877	42.1 - 63.2 0.702 - 1.05	U/L µkat/L
CREA Creatinine	Jaffé, without compensation	1 1711	4.24 374	3.30 - 5.17 292 - 457	mg/dL µmol/L
	Jaffé, with compensation	1 1711	4.50 398	3.51 - 5.49 310 - 485	mg/dL µmol/L
	Enzymatic PAP	1 1759	4.43 392	3.46 - 5.41 306 - 478	mg/dL µmol/L
GGT γ-Glutamyltransferase	IFCC, DGKC 1994 37°C	1 2801	89.9 1.50	70.1 - 110 1.17 - 1.83	U/L µkat/L
GLUC Glucose	GOD-PAP	1 2500	256 14.2	215 - 297 12.0 - 16.5	mg/dL mmol/L
	HK/G6P-DH	1 2511	254 14.1	214 - 295 11.9 - 16.4	mg/dL mmol/L

TruLab P

LOT 32787



Cat. No. 5 9050 99 10 061 (6 x 5 mL)
5 9050 99 10 062 (20 x 5 mL)



2025-02-28

respons[®]910



Updated sheets: www.diasys-diagnostics.com/service-area/value-sheets/

Value sheet version: 6

Short Name / Analyte	Method	Reagent ID	Value	Range	Unit
HDLC HDL-Cholesterol	Immunoinhibition	1 3521	53.4	46.0 - 60.9	mg/dL
	Direct, colorimetric	1 3561	1.38	1.19 - 1.58	mmol/L
			55.2	47.4 - 62.9	mg/dL
			1.43	1.23 - 1.63	mmol/L
HBUT β-Hydroxybutyrate	β-HBDH 37°C	1 3711	0.973	0.778 - 1.17	mmol/L
			10.1	8.10 - 12.2	mg/dL
IgA Immunoglobulin A	Immunturbidimetric	1 7202	229	174 - 284	mg/dL
			2.29	1.74 - 2.84	g/L
IgE Immunoglobulin E	Immunturbidimetric	1 7239	98.3	78.7 - 118	IU/mL
			236	189 - 283	ng/mL
IgG Immunoglobulin G	Immunturbidimetric	1 7212	1126	901 - 1351	mg/dL
			11.3	9.01 - 13.5	g/L
IgM Immunoglobulin M	Immunturbidimetric	1 7222	100	72.1 - 128	mg/dL
			1.00	0.721 - 1.28	g/L
FE Iron	Ferene	1 1911	221	190 - 252	µg/dL
			39.6	34.0 - 45.1	µmol/L
LACT Lactate	LDH UV	1 4001	31.8	25.1 - 38.5	mg/dL
			3.53	2.79 - 4.27	mmol/L
LDH Lactate dehydrogenase	IFCC, DGKC 1994 37°C	1 4211	279	229 - 329	U/L
			4.65	3.81 - 5.49	µkat/L
			4.60	3.77 - 5.43	µkat/L
LDLC LDL-Cholesterol	Homogenous Select, TruCal Lipid	1 4121	107	91.9 - 122	mg/dL
			2.76	2.38 - 3.15	mmol/L
			107	92.2 - 122	mg/dL
	Direct, colorimetric	1 4131	2.77	2.38 - 3.16	mmol/L
LPS Lipase	Colorimetric	1 4321	89.6	71.7 - 107	U/L
			1.49	1.19 - 1.79	µkat/L
MG Magnesium	Xylidyl blue	1 4610	1.85	1.56 - 2.15	mmol/L
			4.50	3.78 - 5.22	mg/dL
PL Phospholipids	Enzymatic	1 5741	227	181 - 272	mg/dL
			2.93	2.34 - 3.51	mmol/L
PO3 Phosphorus	Molybdate UV	1 5211	6.97	5.71 - 8.22	mg/dL
			2.25	1.84 - 2.65	mmol/L
K Potassium	Enzymatic	1 5221	6.39	5.82 - 6.97	mmol/L
			25.0	22.7 - 27.2	mg/dL
Na Sodium	Enzymatic	1 4808	148	139 - 157	mmol/L
			340	319 - 360	mg/dL
TP Total Protein	Biuret, with sample blank	1 2311	7.32	6.52 - 8.13	g/dL
			73.2	65.2 - 81.3	g/L
TRF Transferrin	Immunturbidimetric	1 7252	285	228 - 342	mg/dL
			2.85	2.28 - 3.42	g/L
TRIG Triglycerides	GPO-PAP	1 5710	171	140 - 202	mg/dL
			1.93	1.58 - 2.27	mmol/L
UREA Urea	Urease UV	1 3101	150	117 - 183	mg/dL
			24.9	19.4 - 30.4	mmol/L
UA Uric Acid	TOOS	1 3001	7.30	6.28 - 8.32	mg/dL
			434	373 - 495	µmol/L



DiaSys Diagnostic Systems GmbH
Alte Strasse 9 65558 Holzheim Germany
www.diasys-diagnostics.com

TruLab P

LOT 32787



Cat. No. 5 9050 99 10 061 (6 x 5 mL)
5 9050 99 10 062 (20 x 5 mL)

2025-02-28

respons[®] 920




Updated sheets: www.diasys-diagnostics.com/service-area/value-sheets/

Value sheet version: 6

Short Name / Analyte	Method	Reagent ID	Value	Range	1 SD	Unit
ALB	Bromcresol green	1 0220	4.62	3.56 - 5.68	0.354	g/dL
Albumin			46.2	35.6 - 56.8	3.54	g/L
AP	IFCC 37°C	1 0441	156	117 - 195	13.0	U/L
Alkaline phosphatase			2.60	1.95 - 3.25	0.216	µkat/L
ALT/GPT	IFCC, with pyridoxal phosphate 37°C	1 2701 +	120	92.5 - 148	9.21	U/L
Alanine aminotransferase	without pyridoxal phosphate 37°C	2 5010	2.00	1.54 - 2.46	0.153	µkat/L
		1 2701	120	92.2 - 147	9.18	U/L
			2.00	1.54 - 2.46	0.153	µkat/L
AST/GOT	IFCC, with pyridoxal phosphate 37°C	1 2601 +	164	126 - 202	12.6	U/L
Aspartate aminotransferase	without pyridoxal phosphate 37°C	2 5010	2.73	2.10 - 3.36	0.209	µkat/L
		1 2601	167	129 - 206	12.8	U/L
			2.79	2.14 - 3.43	0.214	µkat/L
AMY	EPS G-7	1 0501	200	160 - 240	13.4	U/L
Amylase			3.34	2.67 - 4.01	0.223	µkat/L
PAMY	EPS G-7	1 0551	101	80.8 - 121	6.73	U/L
Pancreatic amylase			1.68	1.35 - 2.02	0.112	µkat/L
APOA1	Immunoturbidimetric	1 7102	166	133 - 199	11.1	mg/dL
Apolipoprotein A1			1.66	1.33 - 1.99	0.111	g/L
APOB	Immunoturbidimetric	1 7112	89.6	71.7 - 108	5.97	mg/dL
Apolipoprotein B			0.896	0.717 - 1.08	0.060	g/L
DBIL	DCA	1 0821	1.78	1.32 - 2.25	0.155	mg/dL
Direct Bilirubin			30.5	22.6 - 38.4	2.64	µmol/L
TBIL	DCA	1 0811	4.41	3.26 - 5.56	0.382	mg/dL
Total Bilirubin			75.4	55.8 - 95.0	6.53	µmol/L
CA	Phosphonazo	1 1181	2.91	2.59 - 3.23	0.107	mmol/L
Calcium			11.6	10.4 - 12.9	0.427	mg/dL
CL	Colorimetric	1 1221	131	119 - 143	3.93	mmol/L
Chloride	Direct ISE	960405	123	112 - 134	3.68	mmol/L
			435	396 - 474	13.0	mg/dL
CHOL	CHOD-PAP	1 1300	196	169 - 224	9.17	mg/dL
Cholesterol			5.08	4.37 - 5.79	0.237	mmol/L
CHE	Butyrylthiocholin	1 1401	7692	6307 - 9077	462	U/L
Cholinesterase			128	105 - 151	7.69	µkat/L
CK	DGKC, IFCC 37°C	1 1601	213	170 - 256	14.2	U/L
Creatine kinase			3.55	2.84 - 4.26	0.237	µkat/L
			0.877	0.702 - 1.05	0.058	µkat/L
CKMB	mAK, Immunological method, 37°C	1 1641	52.6	42.1 - 63.2	3.51	U/L
Creatine kinase	Jaffé, without compensation	1 1711	4.24	3.30 - 5.17	0.311	mg/dL
			374	292 - 457	27.5	µmol/L
	Jaffé, with compensation	1 1711	4.50	3.51 - 5.49	0.330	mg/dL
			398	310 - 485	29.2	µmol/L
	Enzymatic PAP	1 1759	4.43	3.46 - 5.41	0.325	mg/dL
			392	306 - 478	28.7	µmol/L
GGT	IFCC, DGKC 1994 37°C	1 2801	89.9	70.1 - 110	6.59	U/L
γ-Glutamyltransferase			1.50	1.17 - 1.83	0.110	µkat/L
GLUC	GOD-PAP	1 2500	256	215 - 297	13.7	mg/dL
Glucose			14.2	12.0 - 16.5	0.759	mmol/L
	HK/G6P-DH	1 2511	254	214 - 295	13.6	mg/dL
			14.1	11.9 - 16.4	0.752	mmol/L
HDLC	Immuno-inhibition	1 3521	53.4	46.0 - 60.9	2.49	mg/dL
HDL-Cholesterol			1.38	1.19 - 1.58	0.064	mmol/L
	Direct, colorimetric	1 3561	55.2	47.4 - 62.9	2.57	mg/dL
			1.43	1.23 - 1.63	0.067	mmol/L

Cat. No. 5 9050 99 10 061 (6 x 5 mL)
5 9050 99 10 062 (20 x 5 mL)

 2025-02-28

respons[®]920



Updated sheets: www.diasys-diagnostics.com/service-area/value-sheets/

Value sheet version: 6

Short Name / Analyte	Method	Reagent ID	Value	Range	1 SD	Unit
HBUT β-Hydroxybutyrate	β-HBDH 37°C	1 3711	0.973 10.1	0.778 - 1.17 8.10 - 12.2	0.065 0.675	mmol/L mg/dL
IgA Immunoglobulin A	Immunoturbidimetric	1 7202	229 2.29	174 - 284 1.74 - 2.84	18.3 0.183	mg/dL g/L
IgE Immunoglobulin E	Immunoturbidimetric	1 7239	98.3 236	78.7 - 118 189 - 283	6.55 15.7	IU/mL ng/mL
IgG Immunoglobulin G	Immunoturbidimetric	1 7212	1126 11.3	901 - 1351 9.01 - 13.5	75.1 0.751	mg/dL g/L
IgM Immunoglobulin M	Immunoturbidimetric	1 7222	100 1.00	72.1 - 128 0.721 - 1.28	9.34 0.093	mg/dL g/L
FE Iron	Ferene	1 1911	221 39.5	190 - 252 34.0 - 45.1	10.3 1.84	μg/dL μmol/L
LACT Lactate	LDH UV	1 4001	31.8 3.53	25.1 - 38.5 2.79 - 4.27	2.23 0.247	mg/dL mmol/L
LDH Lactate dehydrogenase	IFCC, DGKC 1994 37°C	1 4211	279 4.65	229 - 329 3.81 - 5.49	16.7 0.279	U/L μkat/L
	IFCC, modified	1 4251	276 4.60	226 - 326 3.77 - 5.43	16.6 0.276	U/L μkat/L
LDLC LDL-Cholesterol	Homogenous Select, TruCal Lipid	1 4121	103 2.66	88.5 - 117 2.29 - 3.04	4.80 0.124	mg/dL mmol/L
	Direct, colorimetric	1 4131	107 2.77	92.2 - 122 2.38 - 3.16	5.00 0.129	mg/dL mmol/L
LPS Lipase	Colorimetric	1 4321	89.6 1.49	71.7 - 107 1.19 - 1.79	5.97 0.100	U/L μkat/L
LI Lithium	Direct ISE	960406	1.87 1.30	1.61 - 2.14 1.12 - 1.48	0.087 0.061	mmol/L mg/dL
MG Magnesium	Xylydyl blue	1 4610	1.85 4.50	1.56 - 2.15 3.78 - 5.22	0.099 0.240	mmol/L mg/dL
PO3 Phosphorus	Molybdate UV	1 5211	6.97 2.25	5.71 - 8.22 1.84 - 2.65	0.418 0.135	mg/dL mmol/L
K Potassium	Enzymatic	1 5221	6.39 25.0	5.82 - 6.97 22.7 - 27.2	0.192 0.750	mmol/L mg/dL
	Direct ISE	960403	6.38 24.9	5.81 - 6.95 22.7 - 27.2	0.191 0.748	mmol/L mg/dL
Na Sodium	Enzymatic	1 4808	148 340	139 - 157 319 - 360	2.96 6.79	mmol/L mg/dL
	Direct ISE	960402	152 350	143 - 161 329 - 371	3.04 7.00	mmol/L mg/dL
TP Total Protein	Biuret, with sample blank	1 2311	7.32 73.2	6.52 - 8.13 65.2 - 81.3	0.269 2.69	g/dL g/L
TRF Transferrin	Immunoturbidimetric	1 7252	285 2.85	228 - 342 2.28 - 3.42	19.0 0.190	mg/dL g/L
TRIG Triglycerides	GPO-PAP	1 5710	171 1.93	140 - 202 1.58 - 2.27	10.3 0.116	mg/dL mmol/L
UREA Urea	Urease UV	1 3101	150 24.9	117 - 183 19.4 - 30.4	11.0 1.83	mg/dL mmol/L
UA Uric Acid	TOOS	1 3001	7.30 434	6.28 - 8.32 373 - 495	0.341 20.3	mg/dL μmol/L



DiaSys Diagnostic Systems GmbH
Alte Strasse 9 65558 Holzheim Germany
www.diasys-diagnostics.com

TruLab P

LOT 32787



Cat. No. 5 9050 99 10 061 (6 x 5 mL)
5 9050 99 10 062 (20 x 5 mL)

2025-02-28

respons[®]940




Updated sheets: www.diasys-diagnostics.com/service-area/value-sheets/

Value sheet version: 6

Short Name / Analyte	Method	Reagent ID	Value	Range	1 SD	Unit
ALB Albumin	Bromcresol green	1 0220	4.62 46.2	3.56 - 5.68 35.6 - 56.8	0.354 3.54	g/dL g/L
AP Alkaline phosphatase	IFCC 37°C	1 0441	156 2.60	117 - 195 1.95 - 3.25	13.0 0.216	U/L µkat/L
ALT/GPT Alanine aminotransferase	IFCC, with pyridoxal phosphate 37°C	1 2701 +	120	92.5 - 148	9.21	U/L
	without pyridoxal phosphate 37°C	2 5010 1 2701	2.00 120	1.54 - 2.46 92.2 - 147	0.153 9.18	µkat/L U/L
			2.00	1.54 - 2.46	0.153	µkat/L
AST/GOT Aspartate aminotransferase	IFCC, with pyridoxal phosphate 37°C	1 2601 +	164	126 - 202	12.6	U/L
	without pyridoxal phosphate 37°C	2 5010 1 2601	2.73 167	2.10 - 3.36 129 - 206	0.209 12.8	µkat/L U/L
			2.79	2.14 - 3.43	0.214	µkat/L
AMY Amylase	EPS G-7	1 0501	200 3.34	160 - 240 2.67 - 4.01	13.4 0.223	U/L µkat/L
PAMY Pancreatic amylase	EPS G-7	1 0551	101 1.68	80.8 - 121 1.35 - 2.02	6.73 0.112	U/L µkat/L
APOA1 Apolipoprotein A1	Immunoturbidimetric	1 7102	166 1.66	133 - 199 1.33 - 1.99	11.1 0.111	mg/dL g/L
APOB Apolipoprotein B	Immunoturbidimetric	1 7112	89.6 0.896	71.7 - 108 0.717 - 1.08	5.97 0.060	mg/dL g/L
DBIL Direct Bilirubin	DCA	1 0821	1.78 30.5	1.32 - 2.25 22.6 - 38.4	0.155 2.64	mg/dL µmol/L
TBIL Total Bilirubin	DCA	1 0811	4.41 75.4	3.26 - 5.56 55.8 - 95.0	0.382 6.53	mg/dL µmol/L
CA Calcium	Phosphonazo	1 1181	2.91 11.6	2.59 - 3.23 10.4 - 12.9	0.107 0.427	mmol/L mg/dL
CL Chloride	Colorimetric	1 1221	131 465	119 - 143 423 - 506	3.93 13.9	mmol/L mg/dL
	Direct ISE	960405	123 435	112 - 134 396 - 474	3.68 13.0	mmol/L mg/dL
CHOL Cholesterol	CHOD-PAP	1 1300	196 5.08	169 - 224 4.37 - 5.79	9.17 0.237	mg/dL mmol/L
CHE Cholinesterase	Butyrylthiocholin	1 1401	7692 128	6307 - 9077 105 - 151	462 7.69	U/L µkat/L
CK Creatine kinase	DGKC, IFCC 37°C	1 1601	213 3.55	170 - 256 2.84 - 4.26	14.2 0.237	U/L µkat/L
CKMB Creatine kinase	mAK, Immunological method, 37°C	1 1641	52.6 0.877	42.1 - 63.2 0.702 - 1.05	3.51 0.058	U/L µkat/L
CREA Creatinine	Jaffé, without compensation	1 1711	4.24 374	3.30 - 5.17 292 - 457	0.311 27.5	mg/dL µmol/L
	Jaffé, with compensation	1 1711	4.50 398	3.51 - 5.49 310 - 485	0.330 29.2	mg/dL µmol/L
	Enzymatic PAP	1 1759	4.43 392	3.46 - 5.41 306 - 478	0.325 28.7	mg/dL µmol/L
GGT γ-Glutamyltransferase	IFCC, DGKC 1994 37°C	1 2801	89.9 1.50	70.1 - 110 1.17 - 1.83	6.59 0.110	U/L µkat/L
GLUC Glucose	GOD-PAP	1 2500	256 14.2	215 - 297 12.0 - 16.5	13.7 0.759	mg/dL mmol/L
	HK/G6P-DH	1 2511	254 14.1	214 - 295 11.9 - 16.4	13.6 0.752	mg/dL mmol/L
HDLC HDL-Cholesterol	Immuno-inhibition	1 3521	53.4 1.38	46.0 - 60.9 1.19 - 1.58	2.49 0.064	mg/dL mmol/L
	Direct, colorimetric	1 3561	55.2 1.43	47.4 - 62.9 1.23 - 1.63	2.57 0.067	mg/dL mmol/L

Cat. No. 5 9050 99 10 061 (6 x 5 mL)
5 9050 99 10 062 (20 x 5 mL)

 2025-02-28

respons[®]940



Updated sheets: www.diasys-diagnostics.com/service-area/value-sheets/

Value sheet version: 6

Short Name / Analyte	Method	Reagent ID	Value	Range	1 SD	Unit
HBUT β-Hydroxybutyrate	β-HBDH 37°C	1 3711	0.973 10.1	0.778 - 1.17 8.10 - 12.2	0.065 0.675	mmol/L mg/dL
IgA Immunoglobulin A	Immunoturbidimetric	1 7202	229 2.29	174 - 284 1.74 - 2.84	18.3 0.183	mg/dL g/L
IgE Immunoglobulin E	Immunoturbidimetric	1 7239	98.3 236	78.7 - 118 189 - 283	6.55 15.7	IU/mL ng/mL
IgG Immunoglobulin G	Immunoturbidimetric	1 7212	1126 11.3	901 - 1351 9.01 - 13.5	75.1 0.751	mg/dL g/L
IgM Immunoglobulin M	Immunoturbidimetric	1 7222	100 1.00	72.1 - 128 0.721 - 1.28	9.34 0.093	mg/dL g/L
FE Iron	Ferene	1 1911	221 39.5	190 - 252 34.0 - 45.1	10.3 1.84	µg/dL µmol/L
LACT Lactate	LDH UV	1 4001	31.8 3.53	25.1 - 38.5 2.79 - 4.27	2.23 0.247	mg/dL mmol/L
LDH Lactate dehydrogenase	IFCC, DGKC 1994 37°C	1 4211	279 4.65	229 - 329 3.81 - 5.49	16.7 0.279	U/L µkat/L
	IFCC, modified	1 4251	276 4.60	226 - 326 3.77 - 5.43	16.6 0.276	U/L µkat/L
LDLC LDL-Cholesterol	Homogenous Select, TruCal Lipid	1 4121	103 2.66	88.5 - 117 2.29 - 3.04	4.80 0.124	mg/dL mmol/L
	Direct, colorimetric	1 4131	107 2.77	92.2 - 122 2.38 - 3.16	5.00 0.129	mg/dL mmol/L
LPS Lipase	Colorimetric	1 4321	89.6 1.49	71.7 - 107 1.19 - 1.79	5.97 0.100	U/L µkat/L
LI Lithium	Direct ISE	960406	1.87 1.30	1.61 - 2.14 1.12 - 1.48	0.087 0.061	mmol/L mg/dL
MG Magnesium	Xylidyl blue	1 4610	1.85 4.50	1.56 - 2.15 3.78 - 5.22	0.099 0.240	mmol/L mg/dL
PO3 Phosphorus	Molybdate UV	1 5211	6.97 2.25	5.71 - 8.22 1.84 - 2.65	0.418 0.135	mg/dL mmol/L
K Potassium	Enzymatic	1 5221	6.39 25.0	5.82 - 6.97 22.7 - 27.2	0.192 0.750	mmol/L mg/dL
	Direct ISE	960403	6.38 24.9	5.81 - 6.95 22.7 - 27.2	0.191 0.748	mmol/L mg/dL
Na Sodium	Enzymatic	1 4808	148 340	139 - 157 319 - 360	2.96 6.79	mmol/L mg/dL
	Direct ISE	960402	152 350	143 - 161 329 - 371	3.04 7.00	mmol/L mg/dL
TP Total Protein	Biuret, with sample blank	1 2311	7.32 73.2	6.52 - 8.13 65.2 - 81.3	0.269 2.69	g/dL g/L
TRF Transferrin	Immunoturbidimetric	1 7252	285 2.85	228 - 342 2.28 - 3.42	19.0 0.190	mg/dL g/L
TRIG Triglycerides	GPO-PAP	1 5710	171 1.93	140 - 202 1.58 - 2.27	10.3 0.116	mg/dL mmol/L
UREA Urea	Urease UV	1 3101	150 24.9	117 - 183 19.4 - 30.4	11.0 1.83	mg/dL mmol/L
UA Uric Acid	TOOS	1 3001	7.30 434	6.28 - 8.32 373 - 495	0.341 20.3	mg/dL µmol/L



DiaSys Diagnostic Systems GmbH
Alte Strasse 9 65558 Holzheim Germany
www.diasys-diagnostics.com

TruLab P

LOT 32787



Cat. No. 5 9050 99 10 061 (6 x 5 mL)
5 9050 99 10 062 (20 x 5 mL)

2025-02-28

BioMajesty®



Updated sheets: www.diasys-diagnostics.com/service-area/value-sheets/

Value sheet version: 6

Short Name / Analyte	Method	Reagent ID	Value	Range	1 SD	Unit
ALB Albumin	Bromcresol green	1 0220	4.62 46.2	3.56 - 5.68 35.6 - 56.8	0.354 3.54	g/dL g/L
AP Alkaline phosphatase	IFCC 37°C	1 0441	156 2.60	117 - 195 1.95 - 3.25	13.0 0.216	U/L µkat/L
ALT/GPT Alanine aminotransferase	IFCC, with pyridoxal phosphate 37°C	1 2701 +	120	92.5 - 148	9.21	U/L
	without pyridoxal phosphate 37°C	2 5010 1 2701	2.00 120	1.54 - 2.46 92.2 - 147	0.153 9.18	µkat/L U/L
			2.00	1.54 - 2.46	0.153	µkat/L
AST/GOT Aspartate aminotransferase	IFCC, with pyridoxal phosphate 37°C	1 2601 +	164	126 - 202	12.6	U/L
	without pyridoxal phosphate 37°C	2 5010 1 2601	2.73 167	2.10 - 3.36 129 - 206	0.209 12.8	µkat/L U/L
			2.79	2.14 - 3.43	0.214	µkat/L
AMY Amylase	EPS G-7	1 0501	200 3.34	160 - 240 2.67 - 4.01	13.4 0.223	U/L µkat/L
PAMY Pancreatic amylase	EPS G-7	1 0551	101 1.68	80.8 - 121 1.35 - 2.02	6.73 0.112	U/L µkat/L
APOA1 Apolipoprotein A1	Immunoturbidimetric	1 7102	166 1.66	133 - 199 1.33 - 1.99	11.1 0.111	mg/dL g/L
APOB Apolipoprotein B	Immunoturbidimetric	1 7112	89.6 0.896	71.7 - 108 0.717 - 1.08	5.97 0.060	mg/dL g/L
DBIL Direct Bilirubin	DCA	1 0821	1.78 30.5	1.32 - 2.25 22.6 - 38.4	0.155 2.64	mg/dL µmol/L
TBIL Total Bilirubin	DCA	1 0811	4.41 75.4	3.26 - 5.56 55.8 - 95.0	0.382 6.53	mg/dL µmol/L
CA Calcium	Phosphonazo	1 1181	2.91 11.6	2.59 - 3.23 10.4 - 12.9	0.107 0.427	mmol/L mg/dL
CL Chloride	Indirect ISE	980132	124 440	113 - 135 401 - 480	3.72 13.2	mmol/L mg/dL
CHOL Cholesterol	CHOD-PAP	1 1300	196 5.08	169 - 224 4.37 - 5.79	9.17 0.237	mg/dL mmol/L
CHE Cholinesterase	Butyrylthiocholin	1 1401	7692 128	6307 - 9077 105 - 151	462 7.69	U/L µkat/L
CK Creatine kinase	DGKC, IFCC 37°C	1 1601	213 3.55	170 - 256 2.84 - 4.26	14.2 0.237	U/L µkat/L
CKMB Creatine kinase	mAK, Immunological method, 37°C	1 1641	52.6 0.877	42.1 - 63.2 0.702 - 1.05	3.51 0.058	U/L µkat/L
CREA Creatinine	Jaffé, without compensation	1 1711	4.24 374	3.30 - 5.17 292 - 457	0.311 27.5	mg/dL µmol/L
	Jaffé, with compensation	1 1711	4.50 398	3.51 - 5.49 310 - 485	0.330 29.2	mg/dL µmol/L
	Enzymatic PAP	1 1759	4.43 392	3.46 - 5.41 306 - 478	0.325 28.7	mg/dL µmol/L
GGT γ-Glutamyltransferase	IFCC, DGKC 1994 37°C	1 2801	89.9 1.50	70.1 - 110 1.17 - 1.83	6.59 0.110	U/L µkat/L
GLUC Glucose	HK/G6P-DH	1 2511	254 14.1	214 - 295 11.9 - 16.4	13.6 0.752	mg/dL mmol/L

TruLab P

LOT 32787



Cat. No. 5 9050 99 10 061 (6 x 5 mL)
5 9050 99 10 062 (20 x 5 mL)

2025-02-28

BioMajesty®



Updated sheets: www.diasys-diagnostics.com/service-area/value-sheets/

Value sheet version: 6

Short Name / Analyte	Method	Reagent ID	Value	Range	1 SD	Unit
HDLC	Immunoinhibition	1 3521	53.4	46.0 - 60.9	2.49	mg/dL
HDL-Cholesterol			1.38	1.19 - 1.58	0.064	mmol/L
	Direct, colorimetric	1 3561	55.2	47.4 - 62.9	2.57	mg/dL
			1.43	1.23 - 1.63	0.067	mmol/L
HBUT	β-HBDH / Diaphorase 37°C	1 3701	0.970	0.776 - 1.16	0.065	mmol/L
β-Hydroxybutyrate			10.1	8.08 - 12.1	0.673	mg/dL
	β-HBDH 37°C	1 3711	0.973	0.778 - 1.17	0.065	mmol/L
			10.1	8.10 - 12.2	0.675	mg/dL
IgA	Immunoturbidimetric	1 7202	229	174 - 284	18.3	mg/dL
Immunoglobulin A			2.29	1.74 - 2.84	0.183	g/L
IgE	Immunoturbidimetric	1 7239	98.3	78.7 - 118	6.55	IU/mL
Immunoglobulin E			236	189 - 283	15.7	ng/mL
IgG	Immunoturbidimetric	1 7212	1126	901 - 1351	75.1	mg/dL
Immunoglobulin G			11.3	9.01 - 13.5	0.751	g/L
IgM	Immunoturbidimetric	1 7222	100	72.1 - 128	9.34	mg/dL
Immunoglobulin M			1.00	0.721 - 1.28	0.093	g/L
FE	Ferene	1 1911	221	190 - 252	10.3	µg/dL
Iron			39.6	34.0 - 45.1	1.85	µmol/L
LACT	LDH UV	1 4001	31.8	25.1 - 38.5	2.23	mg/dL
Lactate			3.53	2.79 - 4.27	0.247	mmol/L
LDH	IFCC, DGKC 1994 37°C	1 4211	279	229 - 329	16.7	U/L
Lactate dehydrogenase			4.65	3.81 - 5.49	0.279	µkat/L
	IFCC, modified	1 4251	276	226 - 326	16.6	U/L
			4.60	3.77 - 5.43	0.276	µkat/L
LDLC	Homogenous Select, TruCal Lipid	1 4121	107	91.9 - 122	4.99	mg/dL
LDL-Cholesterol			2.76	2.38 - 3.15	0.129	mmol/L
	Direct, colorimetric	1 4131	107	92.2 - 122	5.00	mg/dL
			2.77	2.38 - 3.16	0.129	mmol/L
LPS	Colorimetric	1 4321	89.6	71.7 - 107	5.97	U/L
Lipase			1.49	1.19 - 1.79	0.100	µkat/L
MG	Xylidyl blue	1 4610	1.85	1.56 - 2.15	0.099	mmol/L
Magnesium			4.50	3.78 - 5.22	0.240	mg/dL
PL	Enzymatic	1 5741	227	181 - 272	15.1	mg/dL
Phospholipids			2.93	2.34 - 3.51	0.195	mmol/L
PO3	Molybdate UV	1 5211	6.97	5.71 - 8.22	0.418	mg/dL
Phosphorus			2.25	1.84 - 2.65	0.135	mmol/L
K	Indirect ISE	980131	6.41	5.83 - 6.98	0.192	mmol/L
Potassium			25.0	22.8 - 27.3	0.751	mg/dL
Na	Indirect ISE	980130	148	140 - 157	2.97	mmol/L
Sodium			341	321 - 362	6.82	mg/dL
TP	Biuret, with sample blank	1 2311	7.32	6.52 - 8.13	0.269	g/dL
Total Protein			73.2	65.2 - 81.3	2.69	g/L
TRF	Immunoturbidimetric	1 7252	285	228 - 342	19.0	mg/dL
Transferrin			2.85	2.28 - 3.42	0.190	g/L
TRIG	GPO-PAP	1 5710	171	140 - 202	10.3	mg/dL
Triglycerides			1.93	1.58 - 2.27	0.116	mmol/L
UREA	Urease UV	1 3101	150	117 - 183	11.0	mg/dL
Urea			24.9	19.4 - 30.4	1.83	mmol/L
UA	TOOS	1 3001	7.30	6.28 - 8.32	0.341	mg/dL
Uric Acid			434	373 - 495	20.3	µmol/L



DiaSys Diagnostic Systems GmbH
Alte Strasse 9 65558 Holzheim Germany
www.diasys-diagnostics.com